

# INDEX

- Absolute humidity, 16-3
- Absolute magnitude, 25-4, 25-13, 25-14
- Absorption coefficient, 18-4
- Absorption cross section, 19-10, 22-2
- Absorption index, 19-10
- Absorption line parameters, 18-5
- Acceleration due to gravity, 14-7, 14-8, 14-28–14-30
- Acetylene (C<sub>2</sub>H<sub>2</sub>), 21-23
- Active experiments in space plasmas, 10-96
- Activity indices, 4-27
  - Δ, 4-32
  - Ak, 4-29
  - Ap, 4-29
  - K, 4-12, 4-27
  - Km, 4-29
  - Kn, 4-29
  - Kp, 4-28, 4-30, 5-26, 7-5, 8-20, 8-22, 8-23, 10-60, 17-30, 17-35
  - Ks, 4-29
  - U, 4-32
  - aa, 4-29
  - ak, 4-29
  - am, 4-29
  - ap, 4-29
  - u, 4-32
  - u<sub>1</sub>, 4-32
- Adiabatic invariants, 5-3, 5-4, 5-11, 5-13, 5-19, 5-38, 5-45, 8-7
- Advanced Inertial Test Laboratory, 23-40
- Advection, 15-6
- Advective fog, 18-29, 18-48
- AE-C, 8-13
- AE-D, 8-13, 8-23
- AE-E, 2-19
- Aerosol
  - absorption, 18-20
  - extinction, 18-15, 18-18, 18-21–18-23
  - models, 18-10, 18-14, 18-26–18-27, 18-46
  - particles, 18-9–18-10
  - refractive index, 18-12, 18-16, 18-17
  - scattering, 18-15, 18-19
  - sources, 21-15
- Aerospace Guidance and Metrology Center, 23-40, 23-41
- AF-72-1, 5-29
- AFGWC, 1-23, 10-59
- Air coupled seismic waves, 23-20
- Air Force—National Severe Storms Project, 20-23
- Air Force Global Weather Center (AFGWC), 1-23, 10-59
- Air Force Reference Atmosphere (0-90 km), 14-7
- Air Force Satellite Interactions Model (AFSIM), 7-26
- Air Weather Service (AWS), 16-43
- Air-earth conduction current, 20-4
- Aircraft icing, 16-41
- Aircraft lightning strike, 20-25
- Airglow, 13-1, 12-20, 12-25, 12-27
- Aitken nuclei, 16-46
- Alachogen: plate fracture, 23-5
- ALADDIN 1 experiment, 21-44
- Albedo, 15-1, 18-35
- Alfvén layer, 8-9
- Alfvén speed-waves-velocity, 4-23, 4-24
- Alfvén waves, 1-11, 3-4, 3-13–3-16, 3-24, 3-30
- All sky camera, 10-18
- All sky imaging photometers, 10-18
- Alouette I, 9-8
- Ames, 21-16
- Amplitude fluctuation, 19-9
- Amplitude and phase scintillation, 10-84
- Anelastic damping factor, 23-11
- Angular gyrofrequency, 5-6
- Angular refraction, 10-87
- Antenna pattern, 10-54
- Antenna temperature, 11-1
- Antipode, 10-29
- Apparent brightness, 25-7
- Appleton anomaly, 9-4, 9-8, 10-20, 10-78
- Appleton dispersion formula, 10-3
- Appleton-Hartree formula, 10-29, 10-37
- Arc discharge, 7-7, 7-9
- Archimedean spiral, 3-21, 6-8, 6-23–6-25, 6-26
- Arcing, 7-5, 7-7, 7-9, 7-16
- Argon, 21-47
- Artificial modification: ionosphere, 10-96
- Artificial radiation belts, 5-50
- Aseismic uplift, 23-22
- Astrogeodetic deflection, 24-8
- Astronomic azimuth, 23-34
- Astronomical latitude, 24-1
- Astronomical longitude, 24-1
- Asymmetry parameter, 18-24
- Asymptotic cones of acceptance, 6-3
- Atmosphere
  - composition of, 21-1
  - composition models, 18-1
  - electric fields, 20-3, 20-4
  - minor species, 21-1, 21-14, 21-41
  - molecular species, 18-6
  - number density, 14-2
  - properties of, 14-2
  - structure of, 14-3, 14-6
- Atmospheric exchange layer 20-1, 20-5, 20-11, 20-13
- Atmospheric humidity atlas, 16-3
- Atmospheric loss cone, 8-10
- Atmospheric radiance, 18-37, 18-42, 18-47–18-49, 22-1
- Atmospheric refraction, 18-65
- Atmospheric transmittance, 18-37, 18-42, 18-45, 18-47–18-49

# INDEX

- Atmospherics, 10-27
- Atomic emission lines, 12-22, 12-24, 12-25, 12-27–12-33, 12-36
- Atomic frequency standards, 24-16
- Atomic nitrogen, 12-28–12-33, 22-2, 21-50
- Atomic oxygen, 12-28–12-33, 21-26, 21-42, 21-43, 21-48, 21-49, 21-53, 22-2, 22-4
- ATS-5, 7-4, 7-5, 7-7, 7-29
- ATS-6, 5-10, 7-4, 7-5, 7-7, 7-10, 7-29, 10-95
- Attachment coefficients, 20-7
- Attenuation, 19-9, 19-13
- Attenuation rate, 10-27, 10-28, 10-30–10-33, 10-35
- Aurora, 12-1
  - absorption, 10-57
  - activity, 10-63, 12-17–12-19
  - arcs, 8-25, 10-82
  - boundaries, 8-20, 8-22, 12-9, 12-10, 12-12
  - color type, 12-25
  - continuous, 12-2, 12-3, 12-5, 12-6, 12-11, 12-13, 12-14, 12-16
  - convection, 8-20, 8-24
  - diffuse, 9-5, 12-2, 12-6
  - discrete, 12-2, 12-3, 12-5, 12-7–12-9, 12-14, 12-17–12-19
  - distribution, 12-4
  - E layer, 12-16
  - echo power frequency law, 10-66
  - electrojet, 17-35
  - electron-induced radiant efficiencies, 12-24
  - emissions, 8-1
  - frequency of occurrence, 12-5
  - green line, 12-25
  - IBC III intensities, 12-24
  - infrared bands, 12-35
  - infrared spectrum, 12-27, 12-31–12-33, 12-35
  - ionization, 20-20
  - mantle, 12-2, 12-6
  - models, 12-21
  - morphology, 12-1, 12-17
  - optical emissions, 12-19, 12-20, 12-22
  - oval, 8-1, 8-19, 9-4, 9-5, 12-2, 12-3, 12-5, 12-7, 12-11, 21-52
  - radiative processes, 12-22
  - scintillations, 10-80
  - sporadic E layer, 12-20
  - substorms, 12-20
  - TEC, 10-94
  - Type-B red, 12-25
  - ultraviolet emission, 22-2
  - ultraviolet spectrum, 12-27, 12-28, 12-29
  - unstructured, 12-4
  - visible spectrum, 12-27, 12-29, 12-30, 12-31
- Auroral-electrojet indices
  - AE, 4-31, 14-36
  - AL, 4-31
  - AU, 4-31
  - Ao, 4-31
- Axford-Hines model, 8-4
- Azimuth data base, 23-40
- Azimuth laying set gyrocompass, 23-37
- Azimuthal relation, 23-34
  
- Backscatter, 7-2, 7-10, 7-13
- Backscattered electrons, 7-13, 7-14, 7-16, 7-19, 7-22, 7-25
- Backscattering cross section, 19-10
- Ballistic wind, 17-17
  
- Band models, broad-band radiation, 18-44
- Beam-plasma discharge, 7-16
- Benioff zone, 23-3
- Bidirectional reflection function, 18-35, 18-36
- Biot-Savart law, 5-42
- B-L coordinate system, 4-4, 4-25, 6-12
- Bolometric magnitude, 25-13
- Bond albedo, 25-6–25-8
- Bottomside instabilities, 10-75
- Bottomside profile, 10-18
- Bouguer extinction law, 18-15
- Boulder workshop proceedings, HF propagation, 10-62
- Bounce loss cone, 5-18, 5-21
- Bounce time integral, 5-5
- Boundary conditions—steady state, 5-22
- Bow shock, 3-1, 3-24, 3-29, 4-6, 12-2
  - collisionless shocks, 3-29
  - instantaneous shock, 3-30
  - quasi-parallel shocks, 3-30
  - quasi-perpendicular shocks, 3-30
- Bremmer: spherical earth model, 10-24
- Bremsstrahlung radiation, 11-2
- Brewster's angle, 10-31, 10-32
- Brightness temperature, 25-6, 25-7
- Broad band radiation, 18-44
- Bubbles, ionospheric, 9-9, 10-58, 10-60, 10-75
- Bureau International de l'Heure, 24-15–24-17
- Burst climatology, 11-6
- Burst component, 11-2
- Burst parameters, 11-12, 11-13
- Butterfly distribution, 5-37
  
- C layer, 10-35
- Carbon dioxide (CO<sub>2</sub>), 12-31, 12-34–12-37, 21-16, 21-21, 21-44–21-46
- Carbon monoxide (CO), 21-16, 21-21, 21-45
- Carrier phase advance, 10-84
- Celestial sphere, 25-1
- Centimeter-wave bursts, 11-3
- Cepheid variables, 25-5
- Chandler wobble, 23-5, 24-15
- Chapman distribution function, 10-43
- Chapman layers, 10-50
- Character indices, 4-31
  - C, 4-31
  - C9, 4-31
  - Cl, 4-31
  - Cp, 4-31
- Characteristic waves, 10-4
  - extraordinary component, 10-4
  - ordinary component, 10-4
- Charge buildup, 7-1
- Charge exchange, 5-13, 5-15–5-17, 5-23
- Charged particle trajectory, 5-1
- Charged spacecraft surfaces, 7-10
- Chemical release experiments, 10-96
- Chemical release effects on radiation belts, 5-51
- Chemiluminescence, 13-2
- Child-langmuir model, 7-17
- Chlorine nitrate (ClONO<sub>2</sub>), 21-39, 21-40
- Chlorine oxide (ClO), 21-38
- CIRA 1972 (Cospar International Reference Atmosphere), 14-27
- Clear air turbulence, 17-28
- Climatic change, 15-2
- Climatic Extremes for Military Equipment, 16-3, 17-3

- Cloud cover models, 16-30  
 beta distribution, 16-30  
 ceiling model, 16-31  
 model B, 16-31  
 S distribution, 16-30
- Cloud droplets, 18-25, 18-27-18-29
- Cloud-free field-of-view (CFFOV), 16-37
- Cloud-free line-of-sight (CFLOS), 16-34
- Clouds, 16-26, 18-25, 18-27-18-34  
 cirriform, 16-26  
 cirrus, 16-43  
 cumuliform, 20-20  
 liquid water content, 16-41  
 skycover, 16-27, 16-30, 16-36  
 subvisible cirrus, 16-45
- $C_n^2$ , 18-71, 18-72, 19-6, 19-7, 19-8
- CO<sub>2</sub>, 12-31, 12-34-12-37, 21-16, 21-21, 21-44-21-46
- CO<sub>2</sub> 15 μm emission, 12-32, 12-34, 12-35
- CO<sub>2</sub> 4.3 μm emission, 12-22, 12-24, 12-31-12-37
- CO<sub>2</sub> radiation, 13-10
- Collision frequency, 10-29, 10-33, 10-35-10-37
- Collisional halfwidth, 18-5
- Color temperature, 25-6
- Comets, 25-8
- Combined release and radiation effects satellite (CRRES), 10-97
- Complex cluster ions, 20-11
- Condensation nuclei, 16-46
- Conduction current, 20-6
- Conductivity of air, 20-1, 20-3
- Conductivity of ionosphere, 10-26, 10-27, 10-30-10-32, 10-35, 10-36
- Continental drift, 23-3
- Contrast  
 apparent, 18-60  
 inherent, 18-60  
 modulation, 18-60  
 transmittance, 18-60-18-64
- Convection, 5-10  
 auroral, 8-20-8-24  
 atmospheric, 20-1  
 magnetic merging driven, 8-4  
 magnetospheric, 8-3  
 polar cap, 8-13, 8-14  
 viscous driven, 8-3
- Convection current, 20-5
- Convection electric field, 5-10, 5-14, 9-4
- Coordinate systems  
 celestial, 25-1  
 corrected geomagnetic, 4-3  
 ecliptic, 25-1  
 galactic, 25-1  
 geocentric solar-ecliptic, 4-3  
 geocentric solar-magnetospheric, 4-3  
 geographic, 23-1  
 horizon (alt-azimuth), 25-1  
 magnetospheric, 8-2  
 solar-magnetic, 4-3
- Coordinated universal time, 24-16, 25-3
- Corona solar, 1-9, 1-16, 1-18, 1-22, 2-15, 6-24, 6-25  
 "K" corona, 1-11  
 coronal holes, 1-11, 1-20, 3-17  
 coronal plasma, 3-1  
 coronagraph, 1-11  
 critical point, 3-2, 3-3  
 critical radius, 3-2, 3-3  
 electron density, 3-1  
 electron temperatures, 3-11, 3-12
- Corona solar (*Continued*)  
 hydrostatic equilibrium, 3-1, 3-2  
 isothermal, 3-2  
 temperature, 3-2
- Coronal holes, 1-11, 1-20, 10-59
- Cosmic radiation, 6-1, 6-3, 20-1-20-3, 20-18, 21-52  
 albedo electron flux, 6-15, 6-19  
 albedo neutron flux, 6-16, 6-19  
 albedo proton flux, 6-15  
 anomalous component  
 composition, 6-3, 6-4  
 cosmogenic isotopes, 6-6, 6-14  
 cyclic variations, 6-8  
 differential energy spectra, 6-4, 6-5, 6-8  
 electron spectrum, 6-6  
 flux, 20-15, 20-16  
 ionization rates in the atmosphere, 6-12, 6-14  
 isotopic composition, 6-6  
 Jovian electrons, 6-3, 6-6  
 modulation parameter, 6-7  
 primary, 6-3, 6-12  
 secondary, 6-12, 6-13  
 solar cycle modulation, 6-3, 6-4, 6-6  
 solar modulation theory, 6-7  
 transient variations, 6-8  
 universal abundance, 6-3
- Cosmic ray event, 6-9
- Cosmic ray penumbra, 6-10
- Cosmic ray shower, 6-13
- Coulomb collisions, 5-13-5-15, 5-22
- Counter electrojet, 9-7
- Cowling conductivity, 4-20, 9-6
- Critical frequencies, 10-1, 10-38, 10-48, 10-56  
 FoE, 10-1, 10-41, 10-49  
 FoF1, 10-1, 10-41  
 FoF2, 10-1, 10-41, 10-59, 10-89
- Cross-modulation, 10-37
- Crustal motion, 23-21
- Cryoseisms, 23-20
- Current balance on satellite surfaces, 7-10, 7-11, 7-16
- Cutoff frequencies, 10-29
- Cutoff rigidity, 6-2, 6-9, 6-10, 6-12, 6-18
- Cyclotron harmonic resonances, 5-19, 5-20
- D region, 9-1, 10-28, 10-34, 10-36, 10-37, 12-1, 12-3, 12-4, 21-46, 21-52, 21-56, 21-57
- D region negative ion chemistry, 20-10
- D region positive ion chemistry, 20-9
- Data centers, 4-32
- Dayglow emission, 21-47
- Debye length, 3-7, 10-15, 7-16-7-18, 7-21, 7-22, 7-24
- Decimeter-radio bursts, 11-3
- Defense Mapping Agency, 23-35
- Defense Meteorological Satellite Program (DMSP), 8-1, 8-17, 8-20, 12-2, 12-9, 12-12, 12-17, 16-33
- Definitive geomagnetic reference field, 4-27
- Degree day, 15-29
- Density scale heights, 14-28, 14-30
- Density, atmospheric, 14-1, 14-3, 14-27, 15-31  
 correlation coefficients, 15-33  
 diurnal variations, 15-38  
 high altitude, 14-27-14-32, 14-37, 14-38  
 latitudinal variations, 14-8, 14-13-14-16, 15-31  
 longitudinal variations, 14-21, 14-22  
 seasonal variations, 14-8, 14-13-14-16, 15-31  
 warm and cold winter stratosphere/mesosphere, 14-23, 14-24

# INDEX

- Depolarization factor, 18-8
- Dew point, 16-1
- Dielectrics
  - charge on, 7-29
  - deposition of charge in, 7-15
  - surface potential, 7-5
- Differential carrier phase, 10-85
- Differential charging, 7-4, 7-5, 7-7, 7-24, 7-25, 7-28
- Differential time delay, 10-88
- Diffusion coefficients, 20-7
- Diffusion equation, 5-12
- Dipolar magnetic field strength, 5-1, 5-5
- Dipole field lines, 5-2
- Dipole moment of the earth, 4-25
- Dipole earth models, 10-22–10-24, 10-26, 10-29, 10-30, 10-34
- Dispersion formula (Edlen), 19-1
- Displacement current, 20-6
- Disturbing potential, 24-8, 24-9
- Disturbance-daily variation field, 4-8
- Diurnal propagation variation, 10-35, 10-36
- Diversity techniques: HF propagation, 10-57
- Doppler method: satellite tracking, 24-12, 24-15
- Doppler observations, 24-4
- Doppler radar frequency spectrum, 10-69
- Doppler ranging: satellite tracking, 24-12, 24-14
- Doppler shift, 25-4
- Doppler widths, 18-38, 18-39, 18-42
- Drift orbit, 5-5
- Drift time, 5-5, 5-7
- Drift velocity, 5-6, 5-7, 8-8
- Dynamic method: satellite tracking, 24-12
- Dynamic viscosity, 14-5
- Dynamics explorer (DE), 12-5, 17-30, 17-43, 17-54
  
- E-folding particle energy, 6-1
- E region, 9-1, 10-27, 10-28, 10-34, 10-36, 12-1, 12-2, 12-4, 12-25, 21-52–21-54, 21-57
- Earth
  - gravitational field, 24-12
  - magnetic field polarity, 23-5
  - potential field, 24-10
- Earth interior, 23-1
  - crust, 23-1
  - inner core, 23-2
  - mantle, 23-1
  - outer core, 23-2
- Earth motion, 23-21
  - horizontal, 23-21
  - measurements, 23-22
  - vertical, 23-21
- Earth tides, 23-21, 23-24, 23-25
- Earth-ionosphere duct, 10-34
- Earthlimb, 12-37
- Earthlimb experiment, 13-5, 13-6
- Earthquakes, 23-6, 23-7, 23-9, 23-11
  - fault plane solution, 23-14
  - hazard evaluation, 23-15, 23-16–23-18
  - intensity scale, 23-12
  - magnitude, 23-13
  - prediction, 23-18
  - rate of occurrence, 23-15
  - recurrence curves, 23-15
  - seismic hazard maps, 23-18
  - seismic moment, 23-13
  - strong ground motion, 23-15
- Earthshine, 13-1
- Eckman spiral, 17-1
- Eclipse charging, 7-4
- Eddy circulations, 4-16
- Eddy diffusion, 21-42
- Effective bandwidth, 25-4
- Effective brightness temperature, 25-7, 25-8
- Effective wavelength, 25-4
- Einstein A coefficient, 12-22, 12-26, 12-34, 13-1, 13-9
- Ekman spiral, 17-1
- Electric charge generation, 20-20
- Electric field
  - atmospheric, 20-1, 20-3, 20-4, 20-15, 20-17
  - auroral, 8-21, 8-22
  - convection, 5-10, 5-14
  - in earth's equatorial plane, 5-10
  - ionospheric, 8-12
  - magnetospheric, 8-8, 8-9, 8-10
  - parallel to magnetic field, 8-24
  - polar cap, 8-13, 8-14
  - thunderstorm, 20-21, 20-22, 20-24, 20-25, 20-28
- Electrical conductivity, 20-2–20-4, 20-12–20-15, 20-17
- Electrode effect, atmospheric, 20-6
- Electrodynamics, magnetospheric, 8-1
- Electrojet current, 12-1
- Electron density profile, ionospheric, 10-1, 10-4, 10-19, 10-39
- Electron density, ionospheric, 10-27, 10-33, 10-35, 10-37
- Electron flux, 7-2
- Electron pitch angle distribution, 5-37
- Electron precipitation, 10-34
- Electron temperature, 10-14
- Electron volt, 6-1
- Electron and ion temperatures, 10-1
- Electrosphere, 20-17
- Elevated antennas, 10-23, 10-29–10-33
- Elevation angle errors, 10-88
- ELF, 10-20, 10-22, 10-25–10-28, 10-34
- Elsasser band model, 18-44
- Energetic electrons, 7-5
- Energetic particles, 5-1
- Energy budget campaign, 13-4
- Energy cycles, earth/atmosphere system, 15-1, 15-3
- Energy diffusion equation, 5-13
- Energy level diagrams
  - atomic oxygen, 12-25
  - CO<sub>2</sub>, 12-34
  - N<sub>2</sub> and N<sub>2</sub><sup>+</sup>, 12-23
  - NO, 12-33, 12-34
  - O<sub>2</sub> and O<sub>2</sub><sup>+</sup>, 12-23
- Energy spectrum, 6-1
- Energy of a nucleon, 6-1
- Environmental Technical Applications Center (ETAC), 17-1, 20-33
- Ephemeris time, 24-16, 25-2
- Equatorial airglow, 10-18
- Equatorial anomaly, 9-8, 10-51, 10-58, 10-94
- Equatorial bubbles, 10-58, 10-60, 10-75
- Equatorial electrojet, 4-12, 4-20, 9-4, 9-6
- Equatorial Es, 9-7
- Equatorial pitch angle, 5-13, 5-29, 5-42
- Equatorial spread F, 9-9
- Equatorially mirroring particles, 5-4, 5-9, 5-15, 5-22
- Ethane (C<sub>2</sub>H<sub>6</sub>), 21-23
- EXCEDE program, 12-21, 12-22, 12-27, 12-31
- Exchange layer, 20-1, 20-5, 20-11, 20-13
- Excitation factor, 10-26, 10-30, 10-31, 10-33
- Exosphere, 14-7

- Exospheric temperature, 14-27, 14-38  
 Explorer 8, 7-2, 7-3  
 Explorer 31, 7-15, 7-22  
 Explorer 45, 5-24, 8-11  
 External field models, 4-27  
 Extinction coefficient, 16-49  
 Extragalactic distances, 25-5  
 Extraterrestrial ring current, 5-42, 5-43, 5-45
- F region, 9-1, 10-34, 10-36, 10-37, 12-1, 12-3, 12-4, 21-52, 21-53  
 F region trough, 10-57, 12-3  
 Fabry-Perot interferometer, 10-18  
 Fades, ELF, 10-28  
 Faraday cup, 10-17  
 Faraday maximum height, 10-95  
 Faraday rotation, 10-16, 10-84  
 FASCODE, 18-1, 18-37-18-39, 18-42-18-44  
 Fast mode MHD waves, 3-4, 3-13  
 Fast neutron flux, 6-15  
 Feldstein-Starkov belt model, 10-63  
 Field aligned currents, 4-20, 4-23, 8-12, 8-19  
 Flare continuum, 11-3  
 Fleetsat geostationary satellite, 10-74  
 Fluorocarbon 1 (CCl<sub>3</sub>F), 21-17, 21-19, 21-20  
 Fluorocarbon 12 (CF<sub>2</sub>Cl<sub>2</sub>), 21-16, 21-18, 21-19  
 Flux limit—radiation belt, 5-21  
 Focusing of ELF modes, 10-26, 10-28, 10-29  
 Fog, 16-46, 18-25, 18-27, 18-29-18-33  
 Fog droplets, 18-25, 18-27-18-29  
 Forbush decrease, 6-8, 20-16, 20-17  
 Forecasting HF conditions, 10-60, 10-61  
 FOT, 10-39  
 Fountain effect, 9-8  
 Frequency management, 10-61  
 Frequency spreading, 10-58  
 Fresnel filter function, 10-74  
 Fresnel formulas, zones, 10-23, 10-25, 10-28  
 Frost point, 16-1
- Galactic cosmic rays, 6-3  
 Galactic rotation, 25-5  
 Galaxies  
   ellipticals, 25-18, 25-19  
   Seyfert, 25-19  
   spiral, 25-18  
 Gaussian spectra, 12-14, 12-15  
 General atmospheric circulation theory, 16-6  
 Geocentric solar-ecliptic coordinate system, 4-3  
 Geocentric solar-magnetospheric coordinate system, 4-3  
 Geodesy, 24-1  
   geometric, 24-1  
   physical, 24-1  
 Geodetic azimuth, 23-24, 24-3  
 Geodetic coordinates, 4-3  
 Geodetic latitude, 24-1  
 Geodetic longitude, 24-1  
 Geodetic reference system 1980, 24-8  
 Geographic coordinate system, 4-2  
 Geoid, 24-1, 24-6, 24-8, 24-9, 24-15  
 Geoid undulation, 24-2, 24-3, 24-8, 24-11, 24-14  
 Geokinetics, 23-1  
 Geomagnetic activity, 7-10  
 Geomagnetic bay, 4-23  
 Geomagnetic disturbance, 4-8  
 Geomagnetic field, 4-1, 10-26, 10-29, 10-33, 10-35-10-38  
   coordinate systems, 4-2, 4-3  
   dipole strength, 4-16, 4-19  
   disturbed variation field, 4-7  
   equatorial surface field, 4-7  
   GSFC 9/80 model, 4-13  
   L variation field, 4-7  
   lunar daily variation, 4-20  
   magnetic declination, 4-1  
   magnetic elements, 4-2, 4-13  
   main field, 4-5, 4-13  
   observatories, 4-12  
   quiet variation fields, 4-7, 4-19  
   regional anomalies, 4-17  
   secular variation, 4-1, 4-5, 4-16  
   self-exciting dynamo system, 4-13  
   solar quiet (sq) variation field, 4-7, 4-19  
   sources of, 4-5  
   steady field, 4-5, 4-13  
   transient variations, 4-1  
   variation field, 4-5  
   vector, 4-2  
 Geomagnetic indices, 10-28  
 Geomagnetic pulsations, 4-8, 4-23  
 Geomagnetic storm, 1-20, 3-17, 3-22, 3-23, 4-21, 5-11, 5-26, 5-28, 5-31, 5-32, 5-45, 10-28, 10-34, 10-59, 10-80, 17-31  
   geomagnetic bay, 4-23  
   initial phase, 4-21, 4-22  
   main phase, 4-22  
   recovery phase, 4-22  
   ring current plasma, 4-22  
   solar wind discontinuities, 4-22  
   sudden commencement, 4-21, 4-22  
   sudden impulse, 4-22, 4-23  
 Geomagnetic substorm, 3-31, 4-21, 4-22  
 Geomagnetic tail, 4-6  
 Geometric method, 24-12  
 Geopotential altitude, 14-7  
 GEOS 1 (ESA), 4-12, 7-29  
 GEOS 2 (ESA), 4-13, 7-29  
 GEOS 3 (NASA), 24-9, 24-14  
 GEOSAT, 24-15  
 Geosynchronous charged particle environment, 5-38-5-41  
 Geosynchronous environment, 7-9, 7-10  
 Giant stars, 25-10, 25-19  
 Global datum (WGS72), 24-5  
 Global mean energy cycles, 15-3  
 Global warming, 15-2  
 GOES 1, 2, 3, 4-13  
 Goddard earth model 9, 24-10  
 Goody band model, 18-44  
 GPS satellite, 10-78, 10-85, 24-13, 24-14  
 Gradient drift, 5-7  
 Gradiometer, air-borne, 24-12  
 Gradiometry, 24-12  
 Graupel (hail), 16-16  
 Gravimeter surveys, 23-22  
 Gravimetric deflection of the vertical, 24-8, 24-10  
 Gravimetry, 24-11  
 Gravitational constant, 24-8  
 Gravity anomaly, 24-8, 24-9, 24-10  
 Gravity disturbance, 24-8  
 Gravity field, 24-7, 24-8, 24-12, 24-14  
 Gravity formula, 24-8

# INDEX

- Gravity measurements, 24-11
  - absolute, 24-11
  - relative, 24-11, 24-12
- Gravity waves, 14-38, 17-45, 17-47
- Great plains turbulence field program, 17-2
- Green flash, 18-65
- Greenland, 10-33
- Ground albedo, 18-62
- Ground level events, 1-20
- Groundwater, 23-31
- Groundwave, 10-22-10-24, 10-25, 10-34-10-36
- Group delay, 10-84
- Gumbel distribution, 15-10
- Gyro (cyclotron) radius, 5-4, 5-6
- Gyrofrequency, 5-19, 10-3, 10-29
- Gyro (cyclotron) resonance, 5-18
- Gyrocompass, 23-37
- Gyroperiod, 5-4
- Gyroscopes, 24-7
- Gyrosynchrotron radiation, 11-2
  
- Hail, 16-16
- Hailstorm duration, 16-16
- Hailstorm frequency, 16-17
- Hall conductivity, 20-20
- Hall current, 4-20, 4-24, 8-13, 9-6
- Hamilton-Jacobi action variable, 5-3
- Harang discontinuity, 8-13, 8-20
- Heat conduction equation, 25-6
- Heavy ion effects on microcircuitry, 5-49
- Heavy ion fluxes, 5-28, 5-30, 5-31
- Heavy ions, 5-24, 5-31
- Height of reflection, 10-35
- Height-gain factors, 10-23, 10-30, 10-31
- Helium ions, 5-16, 5-17, 5-24, 5-26, 5-30, 5-31
- Herzberg bands, 22-2
- Herzberg continuum, 22-4
- Herzprung-Russel diagram, 25-13
- Heterosphere, 21-51
- HF
  - backscatter radar, 10-65, 10-66
  - conditions, forecasting, 10-60, 10-62
  - communication, 10-1
  - propagation, 10-1, 10-45
  - propagation, Boulder Workshop, 10-62
  - propagation, diversity techniques, 10-57
  - radars, 10-1, 10-6
  - radiation, 21-52
- High altitude nuclear bursts, 10-28, 10-34
- High energy protons, 10-57
- HIRIS experiment, 12-32, 12-36
- Horizontal wind shear, 17-14
- Hubble constant, 25-5
- Humidity extremes, 16-3
- Humidity, diurnal cycles, 16-3
- Hurricanes, 17-27
- Hydrogen (H<sub>2</sub>) 21-21, 21-22, 21-47, 21-48
- Hydrogen 21 cm emission, 25-17
- Hydrogen chloride (HCl), 21-39, 21-40
- Hydrogen fluoride (HF), 21-40, 21-41
- Hydrogen Lyman- $\alpha$ , 2-14, 2-16, 2-19, 2-20, 12-28, 20-18, 20-20, 21-46, 21-52, 22-2, 22-4
- Hydromagnetic waves, 4-22, 4-23
- Hydronium ions, 21-54
- Hydroperoxyl (HO<sub>2</sub>), 21-38, 21-39
- Hydrostatic equation, 14-2
- Hydroxyl (OH), 21-37, 21-38
  
- Ice
  - accretion, 16-20, 16-21
  - particles, 18-27, 18-28, 18-29
  - pellets, 16-16
  - storms, 16-21
- ICECAP experiment, 12-34, 12-36
- IMP 2, 7-5
- Impedance, 10-23, 10-25, 10-26
- Incoherent rupture, 23-6
- Incoherent scatter, 10-1, 10-14
- Inelastic collisions, 12-22
- Inert gases, 21-50
- Inertial instrument error sources, 23-39
- Inertial navigation, 24-10, 24-12
- Inertial positioning, 24-7
- Infrared airglow, 13-1
- Infrared radiance, 13-1
- Infrared radiators, 13-10
  - CO<sub>2</sub>, 13-10
  - H<sub>2</sub>O, 13-12
  - NO, 13-12
  - O<sub>3</sub>, 13-12
  - OH, 13-13
- Infrared sources, AFGL astronomical, 25-17
  - GL 2688, 25-17
  - GL 618, 25-17
  - GL 915, 25-17
- Infrared spectrophotometry, 25-16, 25-17, 25-18
- Initial phase, geomagnetic storm, 4-21, 4-22
- INJUN 5, 7-3, 8-13
- Insolation, solar, 15-1, 15-11
- Institute of Telecommunication Sciences (ESSA), 10-39
- Integral equation, 10-25
- Interference, 10-22, 10-28, 10-29, 10-32, 10-34-10-36
- Interior cusp, 8-5
- International Association of Geomagnetism and Aeronomy (IAGA), 4-33
- International Atomic Time, 24-16
- International Auroral Atlas, 12-25
- International Brightness Coefficient, 12-16, 12-25
- International Bureau of Standards, 24-16
- International Civil Aviation Organization (ICAO), 14-1
- International Council of Scientific Unions (ICSU), 4-33
- International Geomagnetic Reference Field, 4-25, 4-27
- International gravity standardization network, 24-12
- International latitude service, 24-15, 24-16
- International Magnetospheric Study (IMS), 4-12
- International Polar Motion Service, 24-15
- International Reference Ionosphere, 10-56
- International Time, 25-2
- International Union of Geodesy and Geophysics (IUGG), 4-33
- International Ursigram and World Data Service, 10-59
- Interplanetary Magnetic Field (IMF), 1-21, 3-22, 3-23, 3-24
- Interplanetary medium, 6-25
- Interstellar absorption, 25-17
- Interstellar gas, 25-17
- Interstellar reddening, 25-18
- Inversion of VLF/LF data, 10-35, 15-5
- Inverted-V events, 8-19, 8-23, 8-24, 9-5
- Ion beams, 8-24
- Ion chemistry, 20-9, 20-10, 20-18
- Ion composition, 5-44
- Ion temperature, 10-15
- Ion-pair production rate, 20-16
- Ionization profile with ionized layers, 9-1
- Ionogram, 10-1, 10-2, 10-7, 10-8
- Ionosonde, 10-1, 10-5, 10-6

- Ionosonde network, 10-1, 10-13  
 Ionosounding, 10-35  
 Ionosphere, 9-1, 5-8, 5-9, 21-51  
   artificial modification of, 10-96  
   bubbles, 9-9, 10-58, 10-60, 10-75  
   chemistry of, 9-3  
   electric fields, 8-12–8-15, 8-18, 8-19, 8-24  
   heating experiments, 10-98  
   irregularities, 10-58, 10-63, 10-71, 10-74, 10-75, 10-77, 10-81, 10-98  
   irregularities type I, 9-7  
   irregularities type II, 9-7  
   minor constituents, 9-2  
   modification, 10-96  
   production of, 9-2  
   refractive index, 10-87  
   scintillation, 10-71, 10-72, 10-74, 10-75, 10-77, 10-78, 10-99  
   structure of, 9-1  
 Ionospheric absorption, 10-36  
 Ionospheric clutter, 10-63, 10-71  
 Ionospheric convection, 8-3  
 Ionospheric currents, 4-7, 4-8, 9-4  
 Ionospheric dispersion, 10-88  
 Ionospheric hole, 10-96  
 Ionospheric index, 10-48, 10-50, 10-55, 10-61, 12-1, 12-3, 12-4  
 Ionospheric layers  
   D layer, 9-1, 10-3, 10-39, 10-51, 12-1, 12-2, 12-4  
   E layer, 9-1, 10-1, 10-39, 10-50, 10-63, 10-70  
   F1 layer, 9-1, 10-50, 12-1, 12-3, 12-4  
   F2 layer, 10-1, 10-39, 10-50, 10-60, 10-75  
 Ionospheric models, 10-46, 10-47, 10-56, 10-57  
   AFGWC 4-D, 10-43, 10-90  
   Bent, 10-40, 10-45, 10-90  
   Bradley, 10-42  
   IONCAP, 10-41, 10-42, 10-45  
   IRI-79, 10-43, 10-45  
   ITS-78, 10-39, 10-42, 10-45, 10-89  
 Ionospheric parameters, 10-41  
 Ionospheric parameters contour maps, 10-55  
 Ionospheric range delay, 10-96  
 Ionospheric resonance, 10-11  
 Ionospheric scaling factor, 10-84  
 Ionospheric sounders, 10-1, 10-14  
 Ionospheric substorms, 10-34  
 Ionospheric time delay, 10-96  
 Ionospheric trough, 10-51, 10-79  
 IRAS, 12-38  
 Irradiance approximations, 18-57, 18-58  
 Irregularity patches, 10-75, 10-76, 10-77  
 Island arcs, 23-5  
 Isostatic equilibrium, 23-1  
  
 Jacchia model (1977), 14-26  
 Jet streams, 17-27, 17-28  
 Josephson junctions, 4-11  
  
 Kelvin-Helmholtz instability, 4-23, 4-24  
 Keplerian orbit, 24-12  
 Kinematic viscosity, 14-5  
 Kirchhoffs' law, 18-61  
 Koschmieder theory, 18-64  
 Kp index, 4-28, 4-30, 5-26, 7-5, 8-20, 8-22, 8-23, 10-60, 14-36, 17-30, 17-35, 17-44, 17-54  
 Kursk anomaly, 4-16  
  
 L-field, 4-20  
 LAGEOS, 24-14  
 Lambert-Beers law, 18-5  
 Landau resonance, 5-19, 5-20  
 Langmuir probe, 7-1, 7-10, 7-18, 10-17  
 Laplace azimuths, 24-4  
 Larmor frequency, 4-9  
 Lateral reflection, ELF waves, 10-28  
 Lethal dosage, radiation, 5-50  
 Leveling networks, 24-6  
 LF-VLF radiation, 21-52  
 Lidar, 16-34, 21-48  
 Light ion trough, 9-4  
 Light ray bending, 18-65–18-67  
 Lightning, 10-37  
   discharges, 20-6, 20-26  
   induced radio burst noise, 20-32  
   parameters, 20-26, 20-27  
   VLF and ELF signals, 20-27  
 Line intensity, 18-5  
 Linearized space charge, 7-17  
 Liouville's theorem, 5-45, 7-18, 7-22  
 Lithosphere, 23-2, 23-3  
 Local thermodynamic equilibrium, 13-3  
 Long waves (below 3000 KHz), 10-20, 10-22–10-24, 10-37  
 Loran-C, 10-22  
 Lorentz force, 5-3  
 Lorentz line shape, 18-4  
 Loss cone, 5-2  
 Loss cone angle, 5-2  
 Loss cone electrons, 12-12  
 Love waves, 23-9, 23-10  
 Low latitude boundary layer, 8-5  
 Low level jet streams, 17-5  
 LOWTRAN, 18-1, 18-44, 18-46–18-53, 18-58  
 LUF, 10-39, 10-51  
 Luminosity function, 25-19  
 Lunar albedo, 25-7  
 Luxemburg effect, 10-37  
 Lyman-Birge Hopfield Bands, 22-2  
 Lyman- $\alpha$  radiation, 2-14, 2-16, 2-19, 2-20, 12-28, 20-18, 20-20, 21-46, 21-52, 22-2, 22-4  
  
 Magnetic dip equator, 4-20  
 Magnetic dipole, 5-1  
 Magnetic index, 10-79  
 Magnetic merging, 3-24, 8-24  
 Magnetic mirroring, 8-7  
 Magnetic moment (relativistic-non relativistic), 5-4  
 Magnetic Q index, 12-2, 12-6  
 Magnetic reconnection, 3-24  
 Magnetic rigidity, 6-2  
 Magnetic storm, 4-8  
 Magnetic-ionic splitting, 10-4  
 Magnetoacoustic waves, 3-13–3-16, 3-29  
 Magnetohydrodynamic waves, 3-4, 3-13  
 Magnetometers, 4-9  
   alkali-vapor, 4-9  
   fluxgate, 4-8, 4-10  
   helium, 4-8, 4-9  
   induction-coil, 4-8  
   proton precession, 4-8, 4-9  
   proton vector, 4-9  
   rubidium vapor, 4-8  
   SQUID, 4-8, 4-11, 4-12  
   searchcoil, 4-8

# INDEX

- Magnetopause, 4-6, 4-22, 8-1, 8-2, 8-3, 8-20  
Magnetopause current, 4-7  
Magnetosheath, 3-1, 3-24, 4-6, 8-1, 12-1, 12-2  
  density, 3-24  
  electric fields, 3-27  
  field fluctuations, 3-29  
  magnetoacoustic modes, 3-29  
  plasma clouds, 3-29  
  power spectra, 3-27  
  rotational wave modes, 3-29  
  stagnation point, 3-24  
Magnetosphere, 5-1  
  convection, 8-3, 8-5, 8-11, 17-35, 17-41–17-43, 17-47  
  coordinate systems, 8-2  
  coupling to ionosphere, 8-11, 8-12  
  dimensions, 8-1  
  electric fields, 8-8–8-10  
  potential distribution, 8-8–8-10, 8-20–8-22  
  substorms, 8-25  
  storms, 4-8  
Magnetosphere-ionosphere coupling theory, 8-1, 8-11  
Magnetotail, 5-8, 5-9, 5-40, 8-3, 8-6, 8-9, 8-16  
Main phase, magnetic storm, 4-22  
Mantle aurora, 12-2, 12-6  
Mantle plumes, 23-5  
Marisat satellite, 10-74, 10-78  
Mars albedo, 25-8  
Maunder minimum, 1-14, 3-24  
Maxwellian spectra, 12-13, 12-14  
McIlwain L-shell parameter, 4-23, 5-33, 5-37  
Mead and Beard model, 8-3  
Mean CIRA (25-500 km), 14-28–14-32  
Mean collision frequency, 14-3  
Mean free path, 14-4  
Mean Greenwich Meridian, 24-16  
Mean molecular weight, 14-4, 14-29, 14-31, 14-38  
Mean particle speed, 14-3  
Mean sea level, 24-1, 24-6  
Mean solar time, 25-2  
MF, 10-20–10-22, 10-28, 10-36, 10-37  
Meridional wind, 17-7, 17-10, 17-29, 17-32–17-34, 17-39, 17-45  
Mesopause, 14-7  
Mesosphere, 13-8, 13-9, 14-7, 21-9, 21-41  
  warm/cold atmospheric models, 14-23  
  water vapor, 16-6  
Meteoric debris, 21-47  
Meteoric dust, 18-10, 18-15  
Meteoric ions, 21-54  
Meteorological rocket network, 17-7  
Methane (CH<sub>4</sub>), 21-22  
Methylchloride (CH<sub>3</sub>Cl), 21-16, 21-20  
Micropulsations, 4-23, 5-11  
Microseisms, 23-19  
Microwave burst, 11-4  
Middle atmosphere, 20-17, 20-18, 20-20  
Mie scattering, 18-15  
Mie theory, 18-15, 18-30  
Millington, 10-25  
Mirages, 18-65  
Mirror equation, 5-5  
Mirror points, 5-2, 5-5  
Mixing ratio, 16-1  
Models, ionospheric, 10-22–10-25, 10-29, 10-30  
  flat earth model, 10-22  
  numerical models, 10-33  
  spherical earth model, 10-24  
Modulation transfer function, 18-60  
Mohorovicic discontinuity, 23-1, 23-3  
Molecular absorption, 18-4, 22-5  
Molecular nitrogen, 22-3, 22-4  
Molecular oxygen, 22-3, 22-4  
Molecular temperature, 14-28, 14-30  
Moving type IV bursts, 11-3  
MUF, 10-39, 10-41, 10-42, 10-52, 10-53, 10-60  
Multi-hop circuit, 10-53  
Multipath fading, 10-57  
Multipath interference, 10-54  
Multipath propagation, 10-57  
Multiple scattering, 18-53, 18-54  
  
N(<sup>2</sup>D), 12-32, 12-33  
N<sub>2</sub> First Positive Band, 12-30, 12-33  
N<sub>2</sub> IR Afterglow, 12-31  
N<sub>2</sub> Second Positive Band, 12-29  
N<sub>2</sub> Vegard-Kaplan Band, 12-29  
N<sub>2</sub> Wu-Benesch Bands, 12-31  
N<sub>2</sub><sup>+</sup> First Negative Band, 12-19, 12-30, 12-37  
N<sub>2</sub><sup>+</sup> Meinel Bands, 12-30–12-33  
NASA Atmospheric Explorer (AE-E), 2-19  
NASA Charging Analysis Program (NASCAP), 7-26, 7-27, 7-28, 7-30  
NASA Model AP-8, 5-27  
NASA OSO 3, 2-15, 2-20  
NASA OSO 4, 2-20  
NASA POGO, 4-26  
NAVSTAR - Global Positioning System (GPS), 10-85, 24-13  
National Center for Atmospheric Research (NCAR), 17-30  
National Geodetic Vertical Datum, 24-6  
National Geophysical Data Center, 4-12  
National Horizontal Control Network, 24-3  
National Solar Observatory at Kitt Peak, 1-13  
National Solar Observatory at Sacramento Peak, 1-11  
National Space Science Data Center, 5-27  
Negative ions, 9-3, 21-51, 21-56, 21-57  
Nephelometry, 16-32  
Neutral minor constituents, 21-41  
Neutral sheet, 4-6, 4-27  
Neutral winds, 9-4  
Neutron differential energy spectrum, 6-15  
Neutron flux, 5-8, 6-18  
Neutron monitor, 6-7–6-9, 6-20, 6-21  
Nimbus 3, 18-50, 18-53  
Nimbus 4, 18-51  
Nitric acid (HNO<sub>3</sub>), 21-35, 21-36, 21-37  
Nitric oxide (NO), 21-26, 21-31, 21-50, 21-54  
Nitric oxide bands, 22-2  
Nitrogen  
  (atomic), 21-50  
  dioxide (NO<sub>2</sub>), 21-30–21-35, 21-50  
  pentoxide (N<sub>2</sub>O<sub>5</sub>), 21-37  
  trioxide (NO<sub>3</sub>), 21-35, 21-37  
Nitrous oxide (N<sub>2</sub>O), 21-15, 21-16, 21-17, 21-18  
NNSS—Navy navigation satellite system, 10-86, 24-13  
NO, 12-31–12-36  
NO 2.3 μm emission, 12-22, 12-24, 12-31–12-36  
NO 2.7 μm emission, 12-22, 12-24, 12-32–12-36  
NO 5.3 μm emission, 12-22, 12-24, 12-31–12-36  
NO radiation, 13-12  
NO<sup>+</sup>, 12-33, 12-35, 12-37  
NO<sup>+</sup> 4, 3 μm emission, 12-35, 12-37

- NOAA, 21-16  
 Noctilucent clouds, 21-50  
 Non-linear radio wave propagation, 10-37  
 Normal gravity, 24-7, 24-8  
 Nuclear detonations, 5-50  
   effects on radiation belts, 5-50  
 Nuquist condition, 18-38
- $O_2$  (a) state, 12-32  
 $O_2$  atmospheric bands, 12-31, 12-32  
 $O_2^+$  first negative band, 12-31  
 $O_3$  9.6  $\mu\text{m}$  emission, 12-32, 12-35  
 Obliquity factor, 10-52  
 Ocean loading, 23-27  
 Odd halogens, 21-15, 21-38  
 Odd hydrogen, 21-15, 21-37  
 Odd nitrogen, 21-15, 21-26  
 Odd oxygen, 21-15, 21-25  
 Offset pole, 12-6, 12-10, 12-12  
 OGO 1, 5-32, 5-33, 7-3, 7-5  
 OGO 3, 5-32, 5-33, 7-3  
 OGO 4, 5-33  
 OGO 5, 4-12, 5-23, 5-33, 5-36, 7-3  
 OGO 6, 4-12, 8-13, 8-14  
 Olson-Pfizer models, 4-27  
 Onset time, 6-26  
 Ophiolites, 23-4  
 Optical air mass, 18-68–18-70  
 Optical depth, 18-37  
 Optical pumping, 4-9  
 Optical refractive modulus, 19-1  
 Optical thickness, 18-5  
 Optical turbulence, 18-65, 18-69, 18-71  
 Optical turbulence effects, 18-71  
   beam spreading, 18-71  
   beam steering, 18-71  
   image dancing, 18-71  
   scintillations, 18-71  
   spatial coherence degradation, 18-71  
 Optimum working frequencies (OWF), 10-59  
 Orthometric correction, 24-6  
 Orthometric height, 24-6  
 Outer radiation zone boundary conditions, 5-10  
 OV1-13, 5-33  
 OV1-19, 5-33, 5-35  
 OV3-3, 5-33  
 Oxygen ions, 5-17, 5-25, 5-26  
 Ozone, 21-1, 2-1, 18-71, 20-18  
   absorption, 22-3, 22-4  
   absorption coefficient, 18-47  
   annual cycle, 21-11  
   anthropogenic modification of distribution, 21-3, 21-9  
   catalytic reactions, 21-3  
   Chapman reactions, 21-3, 21-9  
   chemical detectors, 21-6  
   data sources for, 21-7  
   density profiles, 18-3  
   diurnal modulation, 21-3  
   longitudinal distribution, 21-11  
   measurement, 21-5, 21-45  
   meridional cross section, 21-11  
   mixing ratio, 21-10, 21-11  
   models, 21-13, 21-45  
   photochemical reactions in the stratosphere, 21-2  
   photolysis, 21-6
- Ozone (*Continued*)  
   poleward transport of, 21-4  
   production of, 21-2, 21-44  
   quasi-biennial oscillation, 21-11  
   satellite instrumentation, 21-6  
   semiannual oscillation, 21-11  
   spectrum, 13-8  
   total, 21-8, 21-9, 21-13  
   transition zone, 21-4  
   units of measurement, 21-2  
   variability, 21-12  
   vertical cross-section of concentration, 21-4  
   vertical distribution, 21-9
- Paleomagnetism, 4-17  
 Palmdale bulge, 23-22  
 Pangaea, 23-5  
 Parsec, 25-4  
 Particle  
   densities in plasma sheet, 8-1  
   drift motion, 5-5  
   gyroradius, 5-2, 5-6  
   motion in dipole field, 5-3  
   pitch angle, 5-5  
   pushing codes, 7-25, 7-26, 8-7, 8-18, 8-23  
   reflection of long waves, 10-37  
 Particle-wave interaction, 5-18, 5-19  
 Pc pulsations, 4-23  
 Pedersen conductivity, 9-6, 20-20  
 Pedersen current, 4-24, 8-13, 8-20  
 Perfect gas law, 14-2  
 Peroxynitric acid ( $\text{HO}_2\text{NO}_2$ ), 21-37  
 Pfitzer maximum, 6-12  
 Phase fluctuation, 19-9  
 Phase refractive index, 19-1, 19-10  
 Phase scintillation, 10-86, 10-87  
 Phase scintillation index, 10-73  
 Phase velocity, 10-30, 10-35, 19-1  
 Photo cross section  
   atomic oxygen, 22-3  
   molecular nitrogen, 22-3  
   molecular oxygen, 22-3  
   ozone, 22-3  
 Photodissociation, 13-2, 13-3, 21-2, 22-4  
   processes, 22-7  
   rates, 22-5–22-7  
 Photoelectron current, 7-12, 7-19  
 Photoelectron flux, 7-5, 7-10, 7-13, 7-20  
 Photoemission, 7-2, 7-26  
 Photoionization, 9-2, 21-2, 22-4  
 Photoionization cross section, 22-2  
 Photometers, 10-18  
 Pi pulsations, 4-24  
 Pi2 pulsations, 4-25  
 Pilot tone sounding, 10-62  
 Pinhole effect, 7-16, 7-29  
 Pitch angle diffusion, 5-13, 5-22, 8-10  
 Pitch angle diffusion coefficient, 5-20  
 Pitch angle diffusion flux, 5-18  
 Pitch angle scattering, 5-18, 5-19, 5-44  
 Plasma bubbles, 9-10, 10-58, 10-60, 10-75  
 Plasma frequency, 10-3, 10-37  
 Plasma mantle, 8-5  
 Plasma radiation, 11-2

## INDEX

- Plasma sheet, 5-9, 8-6-8-11, 12-1-12-3, 12-12  
Plasma sheet boundary layer, 8-5  
Plasma sheet electrons, 8-10  
Plasma wake, 7-15  
Plasma waves, 5-18  
Plasmapause, 5-14, 8-1, 9-2, 10-79  
Plasmasphere, 5-8, 5-14, 5-20, 9-2  
Plasmaspheric hiss, 5-19  
Plate boundaries, 23-3, 23-11, 23-21  
Plate boundary types, 23-4  
Plate tectonics, 23-2  
Plumes, 9-10  
Point positioning, 24-12, 24-13  
Poisson's equation, 7-2, 7-16, 7-17, 7-24, 7-27  
Polar cap, 8-13, 10-20, 10-82, 12-3  
    absorption, 1-20, 4-7, 6-27, 10-28, 10-34, 10-63, 20-9, 21-52  
    auroral arcs, 8-17  
    convection patterns, 8-13, 8-14  
    electric fields, 8-13  
    ionosphere, 9-5, 10-57  
    potential, 8-22  
    precipitation, 8-16  
    TEC, 10-94  
Polar cap absorption (PCA), 1-20, 4-7, 6-27, 10-28, 10-34, 10-63, 20-9, 21-52  
Polar flattening, 24-1  
Polar ionosphere, 8-16  
Polar motion: conventional international origin, 24-12, 24-16, 24-18  
Polar rain, 8-17, 9-5  
Polar scintillations, 10-81  
Polar showers, 8-16  
Polar squalls, 8-16  
Polar wander, 24-15, 24-17  
Polar wind, 5-8  
Polarization conversion, 10-29, 10-34  
Polarization rotation, 10-87  
Poloidal-Toroidal-Mode waves, 4-23  
Positive ion chemistry, 20-8  
Positive ion concentration, 21-51, 21-53-21-56  
Post-burst event, 11-3  
Potential equation, 20-4  
Potential gradient, 20-16  
Power flux density, 11-1  
Precipitable water, 16-1  
Precipitating electrons, 10-28  
Precipitating particles, 10-20, 12-1, 12-9, 12-20  
Pressure scale heights, 14-28, 14-29, 14-30  
Pressure tensor, 8-2  
Pressure, atmospheric, 14-1, 14-3, 15-39  
    diurnal/semidiurnal variations, 15-51  
    high altitude, 14-28-14-30, 14-32, 14-35  
    latitudinal variations, 14-8, 14-17-14-20, 15-47  
    longitudinal variations, 14-23  
    sea level, 15-46  
    seasonal variations, 14-8, 14-17-14-20, 15-47  
    warm and cold winter stratosphere/mesosphere, 14-24  
Primary standard stars, 25-3  
Principle of reciprocity, 10-24, 10-25  
Probe theory, 7-22, 7-25  
Project BIME, 10-97  
Project COLOURED BUBBLES, 10-97  
Project FIREFLY, 10-96  
Project LAGOPEDO, 10-97  
Project WATERHOLE, 10-97  
Propagation modes, 10-59  
Propane ( $C_3H_8$ ), 21-23, 21-24  
Proton aurora, 12-15  
Proton flux contours, 5-29  
Proton gyromagnetic ratio, 4-9  
Pyrolite, 23-2  
  
Q index, 4-31  
Quiet solar wind, 4-21  
Quiet sun flux density, 11-2, 11-4, 11-6  
  
Rad, 5-47, 6-1, 6-2  
Radar altimetry, 24-14  
Radar  
    auroral data, 10-65, 10-70  
    cross section of ionospheric clutter, 10-67, 10-68  
    equation, 10-64  
    reflectivity, 19-11  
    weather, 16-34  
Radial diffusion, 5-10, 5-12, 5-22-5-24  
Radial diffusion coefficient, 5-13  
Radial diffusion equation, 5-25  
Radiation dose, 6-1  
Radiation belts, 5-1, 10-28, 12-1  
    boundary, 5-2  
    electron models, 5-31, 5-36, 5-39  
    electron speed, 5-2  
    electrons, 5-2, 5-22, 5-31, 5-34  
    ion fluxes, 5-26  
    proton models, 5-27, 5-28, 5-30  
Radiation exposure effects, 5-47  
Radiative fog, 18-29, 18-48  
Radiative transfer equation, 18-53-18-55, 18-56, 18-57, 18-58  
Radio interferometry, 24-14  
Radio wave  
    doppler shift, 10-84, 10-86  
    effects on radiation belts, 5-51  
    propagation, 10-1  
    refractive modulus, 19-2  
Rain drops, 18-28, 18-29  
Rain rate, 18-29  
Rainfall, 16-8, 19-13  
    clock-hour rates, 16-8  
    duration, 16-15  
    extreme intensities, 16-14  
    instantaneous rate, 16-9  
Raman scattering, 13-3  
Range rate errors, 10-86  
Range spreading, 10-58  
Ray tracing, 10-56  
Rayleigh fading, 10-73  
Rayleigh phase function, 18-9, 18-54  
Rayleigh scattering, 18-7, 18-8  
Rayleigh Taylor instability, 9-10  
Rayleigh waves, 23-9, 23-10  
Rayleigh-Jeans approximation, 11-1  
Reaction rates, 9-3  
Real-time channel evaluation, 10-61, 10-62  
Recombination rates, 9-2, 21-52  
Recombination reactions, 9-3  
Recovery phase, 4-22  
Reference atmospheres  
    Air Force Reference Atmosphere (0-90 km), 14-7  
    CIRA 1972 (Cospar International Reference Atmosphere) (25-2000 km), 14-26  
    U. S. Standard Atmosphere Supplements 1966, (0-1000 km), 14-26, 14-27

- Reference ellipsoid, 24-1, 24-3, 24-8, 24-10, 24-14
- Reflection coefficients, 10-35
- Refractive index, 10-3, 19-1
- Refractive modulus, 18-7, 18-65
- Refractive modulus profiles, 19-2, 19-4, 19-5
- Refractivity structure, 19-2
- Relative humidity, 16-1
- Relativistic factor, 5-4
- Rem, 6-1, 6-2
- Remanent magnetism, 4-17
- Residue series solution, 10-24
- Rest mass energy, 6-1
  - electron, 6-1
  - neutron, 6-1
  - proton, 6-1
- Revised Uniform Summaries of Surface Weather Observations (RUSSWO), 16-27, 17-21
- Reversely Magnetized Rocks, 4-19
- Riming, 18-28, 18-34, 18-35
- Ring current, 4-7, 4-8, 4-22, 4-27, 5-8, 5-27, 8-2, 8-6, 8-9, 8-16, 9-4
  - extraterrestrial, 5-42, 5-43, 5-45
  - plasma, 4-22
  - storm index Dst, 4-31, 5-26
- Ring laser gyroscope, 23-38
- Riometer absorption, 6-20, 6-21
- Rotational transitions, 13-1
- Rotational wave modes, 3-29
- RUSSWO (Revised Uniform Summaries of Surface Weather Observations), 16-27, 17-21
  
- S3-2, 8-13, 8-14, 8-17, 8-20
- S3-3, 8-13, 8-14, 8-23, 8-24
- S<sub>4</sub> index, 10-72
- San Andreas fault, 23-4
- Satellite laser ranging, 23-23, 24-14
- Satellite operations anomalies, 7-7, 7-9
- Satellite potential, 7-2, 7-11, 7-12, 7-21
- Satellite sheath, 7-17, 7-22, 7-25, 7-27, 7-29
- Satellite tracking
  - doppler ranging, 24-12, 24-15
  - dynamic method, 24-12
  - geometric method, 24-12
  - Keplerian orbit, 24-12
  - point positioning, 24-12, 24-13
  - short arc method, 24-12, 24-13
- Satellite to satellite tracking, 24-13
- Satellite to space potential, 7-1, 7-19, 7-28, 7-29
- Satellite-borne altimeter, 24-9
- Satellite-borne gradiometer, 24-12
- Satellites
  - AE-C, 4-12, 8-13
  - AE-D, 8-13, 8-23
  - AE-E, 2-19
  - AF 72-1, 5-29
  - ATS 5, 4-13, 7-4, 7-5, 7-7, 7-29
  - ATS 6, 4-13, 5-10, 7-4, 7-5, 7-7, 7-10, 7-29
  - Alouette I, 9-8
  - DMSP, 8-1, 8-17, 8-20, 12-2, 12-9, 12-12, 12-17, 16-33
  - Dynamics Explorer (DE), 12-5, 17-30, 17-43, 17-54
  - Explorer 8, 7-2, 7-3
  - Explorer 31, 7-15, 7-22
  - Explorer 45, 4-12, 5-24, 8-11
  - FLEETSAT, 10-74
  - GEOS 1 (ESA), 4-12, 7-29
- Satellites (*Continued*)
  - GEOS 2 (ESA), 4-13, 7-29
  - GEOS 3 (NASA), 24-9, 24-14
  - GEOSAT, 24-15
  - GOES 1, 2, 3, 4-13
  - GPS, 10-78, 10-85, 24-13, 24-14
  - Hawkeye 1, 4-12
  - HEOS 1, 2, 4-12
  - IMP 2, 7-5
  - IMP H, I, J, 4-12
  - INJUN 5, 7-3, 8-13
  - IRAS, 12-38
  - ISEE 1, 4-12
  - ISIS 2, 4-12
  - Jikiken, 4-12
  - LAGEOS, 24-14
  - MARISAT, 10-74
  - MAGSAT, 4-12
  - NAVSTAR, 24-13
  - NASA OSO 3, 2-15, 2-20
  - NASA OSO 4, 2-20
  - NASA POGO, 4-26
  - NNSS, 24-13, 10-86
  - Nimbus 3, 18-49, 18-51
  - Nimbus 4, 18-51
  - OGO 1, 5-32, 5-33, 7-3, 7-5
  - OGO 3, 5-32, 5-33, 7-3
  - OGO 4, 5-33
  - OGO 5, 4-12, 5-23, 5-33, 5-36, 7-3
  - OGO 6, 4-12, 8-13, 8-14
  - OV1-13, 5-33
  - OVI-19, 5-33, 5-35
  - OV3-3, 5-33
  - Prognoz 4, 5, 6, 7, 4-12
  - S3-2, 4-12, 8-13, 8-14, 8-17, 8-20
  - S3-3, 4-12, 8-13, 8-14, 8-23, 8-24
  - SCATHA, 4-13, 5-39
  - SEASAT-1, 7-5, 7-8, 7-16, 7-25, 7-27-7-29, 24-9, 24-14, 24-15
  - SMM, 1-5, 1-13
  - SMS 1, 2, 4-13
  - Skylab, 1-9, 1-13, 1-22, 12-20
  - Sputnik 3, 4-12, 7-2
  - TOPEX, 24-15
  - TRIAD, 4-12
  - Vanguard 3, 4-12
  - Vela 6, 7-4
  - Voyager, 7-5
- Saturation vapor pressure, 16-1
- Scale height, 10-26
- Scale of turbulence, 19-6
- Scanning photometers, 10-18
- SCATHA, 4-13, 5-39
- Scattering
  - coefficient of E and F layer irregularities, 10-68
  - cross section, 19-8
  - efficiency factor, 18-15
  - properties of snow, 19-11
- Schmidt coefficients, 4-26
- Schumann resonance, 10-27
- Schumann-Runge bands, 22-4
- Scintillation, 10-1, 18-65, 18-71
  - index, 10-72
  - model (WBMOD), 10-82, 10-83
- Seafloor spreading, 23-3
- Seasurface topography, 24-9, 24-14, 24-15
- Secondary electrons, 7-13, 7-14, 7-16, 7-19, 7-22, 7-25

## INDEX

- Secondary emission, 7-2, 7-10, 7-13
- Secondary neutron flux, 6-14
- Secondary standard stars, 25-3
- Seismic low velocity zone, 23-2
- Seismic noise, 23-19
- Seismic waves, 23-7
  - air coupled, 23-20
  - body waves, 23-7, 23-8
  - Love waves, 23-9, 23-10
  - P-waves, 23-7, 23-8, 23-9
  - Rayleigh waves, 23-9, 23-10
  - S-waves, 23-7
  - surface waves, 23-7, 23-9
- Seismology, 23-6
- Shell splitting, 5-36, 5-37
- Short arc method, 24-12, 24-13
- Short term forecasts, 10-61
- Short wave fadeout, 10-58, 10-62
- Sidereal time, 25-2
- Signal to noise ratio, 10-55
- Single particle effects, 5-47
- Single scattering albedo, 18-23, 18-24
- Skin depth, 10-24, 10-27
- Skip zone, 10-53
- Sky light polarization, 18-60
- Sky radiance, 18-35, 18-58, 18-59
- Skycover, 16-27, 16-30, 16-36
- Skylab, 1-9, 1-13, 1-22, 12-20
- Skywave, 10-22, 10-35, 10-36
- Sleet, 16-16
- SMM (solar maximum mission), 1-5, 1-13
- Snell's law, 23-7
- Snow, 16-19, 16-23
  - crystals, 18-28, 18-29, 18-30, 18-34, 18-35
  - phase function, 18-34
- Snowfall extremes, 16-19
- Snowloads, 16-19
- Soft errors, 6-3
- Soil
  - soil-temperature variation, 15-28
  - thermal admittance, 15-21
  - thermal conductivity, 15-21
  - thermal diffusivity, 15-21
- Solar constant, 1-4, 2-1, 2-14, 15-1
- Solar cycle, 3-7, 3-22, 10-78, 12-5, 12-6, 12-10, 15-1
- Solar EUV flux, 11-4
- Solar Electro Optical Network (SEON), 1-23
- Solar energy input, 15-2
- Solar flares, 1-18, 3-16, 10-58, 11-2, 20-16, 21-52
  - classification, 1-19
  - disturbances, 3-22
  - effects, 4-7, 10-63
  - energetic, 3-8
  - importance, 1-19
  - particles, 6-17, 6-23
  - prediction, 1-23
  - spectra, 1-19, 1-20
  - white light, 1-20
- Solar flux, 22-4
- Solar flux unit, 11-1
- Solar geophysical data, 11-12
- Solar index, 10-55, 10-56
- Solar insolation, 15-1, 15-11
- Solar irradiance, 2-1, 1-4, 1-22, 15-1, 22-5
- Solar microwave emission, 11-4
- Solar noise storms, 11-14
- Solar particle events (SPE), 6-17, 6-19, 6-22, 6-23, 10-28, 10-31, 10-32
- Solar particle flux composition, 6-24
- Solar power flux density, 11-2, 11-6
- Solar proton events, 6-17, 6-19, 6-20, 6-24, 20-15, 20-16, 21-15, 21-52
- Solar radio emissions, 11-1
  - Type I bursts, 11-3
  - Type II bursts, 11-3
  - Type III bursts, 11-2
  - Type IV bursts, 11-3
  - Type V bursts, 11-3
- Solar spectral irradiance curves, 18-60, 18-61
- Solar spectrum, 1-4, 2-1, 11-2
  - 1-3000 Å, 2-5
  - below 1200 Å, 2-14
  - continuum, 1-7, 2-14
  - H $\alpha$ ; (Lyman- $\alpha$ ); (H Ly- $\alpha$ ), 2-14, 2-16, 2-19, 2-20, 12-28, 20-18, 20-20, 21-46, 21-52, 22-2, 22-4
  - soft x rays, 1-13, 1-17
  - UV, 2-15, 2-16, 2-18
  - wiggly lines, 1-7, 1-8
- Solar synodic rotation rate, 6-26
- Solar system, 25-5
- Solar system dust, 25-9, 25-10
- Solar tides, 14-33
- Solar UV, 2-16
  - atmospheric absorption of, 2-16
  - variability, 2-18
- Solar wind, 3-1, 1-20, 4-5, 4-7, 5-1, 7-5, 8-1, 8-2, 12-2, 12-20
  - acceleration of, 3-4
  - adiabatic process, 3-1
  - archimedes spiral, 3-21
  - conductivity, 3-24, 4-5
  - contact discontinuity, 3-15, 3-16
  - cycle, 3-23
  - debye length, 3-7
  - discontinuity, 4-22
  - electric field, 3-3
  - electron distribution function, 3-9
  - electrons, 3-1, 3-7-3-9
  - expansion time scale, 3-12
  - flux fluctuation, 3-12
  - "freezing in" particles, 3-11
  - heavy ions, 3-12
  - helium ions, 3-7, 3-11, 3-21-3-23
  - hydrogen, 3-11
  - isothermal gas, 3-1
  - magnetic field, 3-4, 3-5, 3-6
  - magnetic field "frozen in", 3-3, 4-5
  - magnetic sector, 3-4
  - magnetosphere; interaction with, 3-31
  - non-radial flow, 3-8
  - particles, 5-8, 5-9
  - plasma, 6-26
  - plasma density, 4-5
  - plasma flow, 3-3, 3-7, 3-8
  - polytropic law, 3-1, 3-2
  - quiet, 4-21
  - pressure of, 4-5
  - protons, 3-7, 3-8, 3-19, 3-21
  - Rankine-Hugonit conditions, 3-16
  - rotational discontinuity, 3-15
  - sector boundaries, 3-4, 3-17, 3-21
  - sector orientation, 3-4
  - shocks, 3-5, 3-16, 3-22
  - speed, 3-23

- Solar wind (*Continued*)
  - streams, 3-17, 3-18, 3-21, 3-23, 10-59
  - supersonic flow, 3-3
  - tangential discontinuity, 3-15, 3-16
  - velocity, 3-23
- Solar wind theory
  - magnetohydrodynamic turbulence theory, 3-12
  - spherically symmetric fluid expansion, 3-1, 3-3
  - two fluid model, 3-3
- Solar x-ray flares, 10-28, 10-34
- Sommerfield, 10-23
- SOON (Solar Observing Optical Network), 10-59
- Sounders
  - chirp, 10-8
  - digital, 10-5, 10-6
  - topside, 10-10
- South Atlantic magnetic anomaly, 5-29, 5-30
- Space charge, 20-5, 20-13
- Space Environment Services Center, 1-23
- Space-charge potential, 7-17, 7-24, 7-26
- Spacecraft charging, 7-1, 5-46
- Spectral density, 19-6, 19-8
- Spectral reflectance, 18-36
- Spectroscopic parallax, 25-4
- Speed of sound, 14-4
- Spherical polar system coordinate system, 4-3
- SPIRE, 13-4, 13-6
- Sporadic E, 9-7, 10-39, 10-50, 10-57, 10-28, 21-50, 21-53, 21-54
- Spread F, 9-9, 10-2, 10-58, 10-63, 10-75, 10-98
- Sputnik 3, 7-2
- Sq currents; fields, system, 4-12, 4-19, 4-20, 9-4, 9-6
- Squall line thunderstorm complex, 20-21, 20-22
- Stable auroral red arcs, 9-4
- Standard atmosphere, 0-1000 km, 14-1
- Standard candles, 25-4
- Standard station temperature, 15-2
- Starfish nuclear explosion, 5-32
- Static charge, 7-1
- Stars
  - classification, 25-13
  - effective temperature, 25-13
  - luminosity, 25-13
  - spectrum, 25-13
- Stochastic coefficients, 5-11
- Storm continuum, 11-3
- Storm time variation field, 4-8
- Stormer approximation, 6-11
- Stormer cutoff equation, 6-12
- Stratopause, 14-7
- Stratosphere, 14-7, 18-10, 21-14
  - clouds, 16-45
  - composition, 20-8, 20-9, 20-10
  - warm/cold atmospheric models, 14-32
  - water vapor, 16-4, 16-6, 16-45
  - wind, 17-11
- Strike-slip fault, 23-4
- Structured auroras, 12-4
- Subduction zone, 23-3
- Sublimation, 16-1
- Subsidence inversion layers, 19-5
- Subsidence rates, 23-32
- Subsoil temperature, 15-21
- Substorms, 8-19, 8-25, 9-5, 17-44
  - morphology, 8-25
  - onsets, 4-25
- Sudden commencements, 3-23, 4-21, 4-22
- Sudden cosmic noise absorption, 10-62
- Sudden enhancement of atmospherics, 10-63
- Sudden enhancement of signal, 10-62
- Sudden frequency deviation, 10-63
- Sudden impulse, 4-22, 4-23
- Sudden ionospheric disturbance (SID), 1-20, 10-62, 21-52
- Sudden phase anomaly, 10-62
- Summary of synoptic meteorological observations (SSMO), 16-27
- Sun, 1-1
  - acoustic waves, 1-9
  - active, 1-13, 1-16, 20-15
  - chromosphere, 1-9, 2-15, 11-1
  - convection zone, 1-3
  - corona, 1-9, 1-16, 1-18, 1-22, 2-15, 11-1
  - coronagraph, 1-11
  - coronal holes, 1-11, 1-20
  - current sheet, 1-21, 3-5
  - cycle, 1-14, 3-7
  - density, 1-1
  - diameter, 1-3
  - ephemeral regions, 1-17
  - filigree, 1-16
  - flares, 1-18, 3-11
  - granulation, 1-6, 1-7, 1-8
  - K corona, 1-11
  - luminosity, 1-1
  - magnetic field, 1-13, 1-14
  - oscillations, 1-3, 1-5, 1-8
  - photosphere, 1-5, 11-1
  - plages, 1-16
  - prominences, 1-17, 1-20, 1-22, 3-11, 3-17
  - radio flux, 1-11, 1-20, 2-16, 11-2, 11-3, 2-19
  - rotation, 1-5, 2-20, 3-3
  - spicules, 1-9
  - streamers, 1-11, 1-21
  - temperature, 1-1, 2-14
  - transition region, 1-9
  - variability, 1-22
  - core, 1-1
  - mass, 1-1
  - pressure, 1-1
  - quiet, 1-1
- Sunspot
  - cycle, 1-14, 3-17, 20-15
  - groups, 1-14, 1-17
  - maunder minimum, 1-14, 3-24
  - number (Wolf-Zurich), 1-15, 2-16-2-19, 14-26
  - polarity law, 1-14
- Super refracting layers, 19-5
- Supergiant stars, 25-10, 25-19
- Surface discharges, 7-7
- Surface loading, 23-29
- Surface potential, 7-5
- Surface wind speeds, 17-21
- TEC (total electron content), 10-40, 10-43, 10-84, 10-89
- TEC variability, 10-92
- Tectonic processes, 23-21
- Temperature, atmospheric, 14-1, 14-3, 14-27, 15-15
  - daily mean range, 15-4
  - degree day, 15-29
  - diurnal cycles, 15-3, 15-4

# INDEX

- Temperature, atmospheric (*Continued*)  
duration, 15-11, 15-13, 15-14  
earth-air interface, 15-19  
extremes, 15-7-15-11  
high altitude, 14-26-14-34, 14-36, 14-38  
interlevel correlation coefficients, 15-18, 15-22-15-27  
inversion, 15-5  
latitudinal variations, 14-8-14-12, 15-15  
longitudinal variations, 14-21, 14-22  
mean monthly values, 15-18, 15-22  
mean standard duration, 14-9, 14-30, 15-18  
runway, 15-7  
seasonal variations, 14-8-14-12, 15-15  
standard station, 15-2  
subsoil, 15-21  
surface air, 15-4  
surface oscillation, 15-28  
warm and cold winter stratosphere/mesosphere, 14-23, 14-24  
wind chill, 15-29  
vs speed of sound, 15-19
- TEP mode, 10-59
- Terrestrial exosphere, 5-14, 5-17
- Thermal conductivity, 14-6
- Thermal pole, 25-6
- Thermoelastic strains and tilts, 23-30
- Thermosphere, 13-6, 13-7, 14-36
- Thermospheric neutral winds, 14-7, 14-36, 17-29, 21-42, 21-51
- Thermospheric winds, 10-59, 12-34
- Thick sheath, 7-17, 7-18, 7-30
- Thin sheath, 7-17, 7-18, 7-21
- Thompson scatter, 10-14
- Thunderstorm, 20-20
- Thunderstorm electric field, 20-21, 20-22, 20-24, 20-25, 20-28
- Tidal gravity meter, 23-27
- Tide gages, 23-22
- Tide models, 23-28
- Tilt, 23-28, 23-29, 23-31-23-33
- Tiltmeters, 23-28, 23-29, 23-31-23-33
- Time scales  
coordinated universal time, 25-3  
ephemeris time, 25-2, 24-16  
international time, 25-2  
mean solar day, 25-2  
sidereal time, 25-2  
universal time, 25-2
- Time of flight approximation (WKB), 4-23
- TOPEX, 24-15
- Topside ionogram, 10-11
- Topside ionosphere, 9-1, 9-2, 10-10
- Topside profile, 10-18, 10-84, 10-89
- Total electron content (TEC), 10-40, 10-43, 10-84, 10-89
- Total ionization trough, 9-4
- Total volumetric scattering coefficient, 18-7
- Transcontinental traverse, 24-2
- Transionospheric radio propagation, 10-20
- Transmitter power, 10-56
- Transport equation, 5-11
- Transverse coherence length, 18-71
- Transverse electric (TE), 10-22, 10-29, 10-30, 10-32-10-34
- Transverse electromagnetic (TEM), 10-25, 10-28
- Transverse magnetic (TM), 10-22, 10-24, 10-29-10-34
- Traveling ionospheric disturbances, 10-96
- Triangulation networks, 24-2
- Trigonometric parallax, 25-4
- Trilateration networks, 24-2
- Tropopause, 14-6
- Tropopause clouds, 16-46
- Troposphere, 14-16, 18-9, 18-10, 21-9  
water vapor, 16-4  
wind, 17-11  
composition, 20-8, 20-10
- True height, 10-4
- Turbulence, 19-6, 17-28, 18-71, 18-72, 19-7
- Twilight spectrum, 22-2
- Two micron sky survey, 25-13
- U-shaped spectral signature, 11-4, 11-5
- UV Hartley and Huggins bands, 21-6
- Ultraviolet absorption and ionization, 22-2
- Ultraviolet airglow, 22-2
- Ultraviolet radiance, 22-1
- Unidirectional integral intensity, 6-1
- U. S. Naval Observatory, 24-16
- U. S. Standard Atmosphere, 1976, 14-1, 14-26, 14-27
- USAF Environmental and Technical Applications Center, 16-27
- Universal time, 25-2
- Unkehr/Dobson measurements, 21-6
- Van der Pol residue series, 10-24
- Van Rhijn enhancement, 12-5
- Vapor pressure, 16-1
- Variable stars, 25-5
- Vehicle potential, 7-2, 7-3, 7-6
- Vela 6, 7-4
- Vertical gradient, 24-12
- Vertical wind shear, 17-14
- Very long baseline interferometry, 23-23, 24-4, 24-14, 24-15, 24-18
- Vibrational temperature, 13-3
- Vibrational-rotational transitions, 13-1
- Virtual height, 10-4
- Visibility code, 18-65
- Visibility, atmospheric, 16-49  
extinction coefficient, 16-49  
threshold contrast, 16-49  
threshold illuminance, 16-49
- Vlasov equation, 7-2, 7-16, 7-22
- Vlasov-Maxwell equations, 8-1
- VLF propagation, 10-1
- VLF/LF, 10-20, 20-25, 10-28-10-37
- Voigt line profile, 18-38-18-40, 18-42, 18-43
- Volcanoes, 23-21
- Volume scattering coefficient, 10-64
- Voyager, 7-5
- W measure, quiet fields, 4-32
- Water cluster ions, 20-8, 20-9, 20-10, 21-46
- Water vapor, 16-1, 16-3, 16-4, 16-6, 16-45, 18-71, 19-1, 19-2, 19-5, 21-23-21-25, 21-46, 21-48  
coefficient, 18-47  
density profiles, 18-2
- Wave damping, 5-13
- Wave guide modes, 10-22, 10-25, 10-29, 10-31, 10-37
- Wave-Hop: LF, 10-29, 10-34, 10-36
- Weather radar, 16-34
- Weibull distribution, 16-54
- Weyl, 10-23
- Whispering gallery, 10-31

- Whistler modes, 10-22, 10-37
  - wave propagation, 5-19, 5-22
  - waves, 3-32
- White dwarfs, 25-10
- Wind chill, 15-29
- Winds, 17-1
  - average profiles, 17-6
  - backing, 17-3
  - ballistic, 17-17
  - direction shifts, 17-4
  - diurnal variation, 17-4
  - equinoctial circulation, 17-31
  - gradient, 17-4
  - gradient level, 17-1
  - gusts, 17-23, 17-24
  - high latitude heating, 17-35
  - horizontal distribution, 17-6
  - logarithmic model, 17-2
  - maximum speed, 17-25, 17-26
  - meridional, 17-7, 17-32, 17-34
  - polar cap, 17-43, 17-47, 17-54
  - power model, 17-2
  - radar measurements, 17-11
  - roughness parameter, 17-2
  - seasonal circulation, 17-31
  - seasonal variations, 17-31
  - shear, 17-14
  - solar heating effects, 17-35, 17-36, 17-37, 17-42
  - solstice variations, 17-34
  - space variability, 17-13
  - speeds, 15-31
- Winds (*Continued*)
  - statistics, 17-21
  - three-dimensional general circulation model, 17-34
  - tidal effects, 17-4
  - veering, 17-3–17-5
  - velocity profile, 17-1
  - vertical, 17-32, 17-34
  - vertical distribution, 17-6
  - zonal, 17-7, 17-10, 17-29, 17-32–17-34, 17-39
- Windspeed frequency distribution, 14-33
  - circular normal distribution, 17-22
  - gamma distribution, 17-21
  - Weibull distribution, 17-21
- WKB method, 10-28, 10-38
- Wolf-Rayet stars, 25-17
- World data centers, 4-33, 10-11
- World geodetic system, 24-4
- World Meteorological Organization (WMO), 14-1, 17-1, 20-33, 21-15
- World vertical datum, 24-6
  
- Z-R relations, 19-11
- Zeeman splitting, 4-9
- Zeneck wave, 10-23
- Zenith looking experiment, 13-5, 13-6
- Zero sunspot component, 11-2
- Zodiacal light, 25-8, 25-9–25-12, 25-21
- Zonal harmonics, 10-34
- Zonal wind, 17-7, 17-10, 17-29, 17-32–17-34, 17-39